


1 LEADER SEQ

PRESENCE OF AA IN ER

**BOUND**







POSITIVE P IN FC

GLENAc-2P → M6P TAGS  
 DEMONSTRATE ENZ


MS  
 PROPOSED LINKS ON ADDITIONAL MANNOSE  
 → ENZ → TAGS


REMAIN SOME  
 P IN PROSTATE OF OH NOT P

GOLGI COMPLEX


N-MANNOSE GLYCOPROTEIN  
 -OH  
 SER  
 THR  
 TRP  
 ASP-X-SER/PRO

- GLYCOSYLATION
- SULFATION SULTAM
- PHOSPHORYLATION
- PROTEOLYSIS





\* ~~LESS~~ ~~GlcNAc-6PT~~ ACTIVITY  
 → SEMIN AND MYO...  
 IN...  
 NOW FINE M...  
 SOUND...





FAL ENZ  
 \*  
 P...  
 FROM MANNOSE

NEUTROS


THROUGH VESICLE

MVT NEXT P TO LYS









SELECTION FROM THE d

SENSITIVE

REGULATED

DISGUT

COATED

\* GROWING MORE STORAGE

SEE VES OR GRANULES

REMAINING IN CYT

UNTIL APPROPRIATE SIGNAL IS RECEIVED FOR ITS RELEASE

ANS

TGN

CONTINUOUS PROCESS


REFLECT MB BUOS OFF JIN A NRE P TO RE SEC


VESIC FUSES WITH PM RELEASE ITS CONTENTS TO THE OUTSIDE OF d


ECM P. O. O. O.


STIMULUS

GEN














# PEROXISOMES

