






!S ~~PROD(S) - 03010~~













99



- QUINIDINE
 PROCAINAMIDE
 DISOPYRAMIDE } IA PIND OPEN
- LIDOCAINE
 TOXAPROPRIL
 METOPROLOL } IB DRUG MAINLY VENT
 FAST DISSOLV
- FLECAINIDE
 PROPANOLOL
 METOPROLOL
 METOPROLOL } IC FAST PST



[SUCCINY CHOLINE
(CONVENTIVE, VOLTAGE,
SUGGESTION)]

AGO CHANGES WITH ACh
MAINTAIN OPEN N₂ CHANNEL

→ CHANNEL, SURE IN
N₂ CHANNEL & PARALYSIS

TUBOCURARINE
PANICURONIUM
VECURONIUM
ROCURONIUM

ANTAGS


BL INHIBIT ACh
BINDING

(INHIBIT) → SUCCINY

DPING BLOCKADE

NON → *

ETHIC
NMDA
R



CNS HIPPOCBR GABA SC
MASON EXULTATION NT CNS


AMANTADINE NON GMP ANTAG
MEPERIDINE USE DEP ANTAG
KETAROLINE (KETANOL, SPINAL, K) ANTAG

PCP ANTAG
DIZOLINE
MK801

ANTAG

CNS DEP ANTAG
& DISJUNCTION
ANESTHETIC
SEDATIVE
ANALGESIC
HALLUCINATOR
"DATE RAPE"

NEEDING
R TO BE DRAW



MAJOR AREAS OF CNS

TRICHOPTERIN
 MEMPHANTINE
 PEROMPHANTINE
 SEBASTOPHANTINE
 AND BATHOSPHERINE

MODULATORS

↑ EFFICACY
 ↑ DURATION

OPENING

HP & ↓ m EXCITABILITY

MIDAZOLAM
 CLONAZEPAM
 ALPRAZOLAM
 LORAZEPAM
 DIAZEPAM
 CLONAZEPAM
 THIAZEPAM
 ESTAZEPAM
 FLURAZEPAM
 ZOLPIDEM



↑ POTENCY

↑ FREQUENCY


FLURAZEPAM
 (NON-HYPNOLIC
 "RODENT"
 SLEEPING
 PILL)

FAST ACTING
 BDZ → ~~ATRIAL~~
 "DREAMER"


over R




~~MEMPHIS~~




GPCR



AC PW
→ CAMP





PLC
PW

