

Scanné avec CamScanner

II

LEAVE EPID — LYMP SYSTEM NATIONAL — DC BECOME T

B + T → T

PHAG Ags

MADON PRODUCT IF = MELANIN

5 STRATA

A

CORNEUM

LUCIDUM (THICK)

GRANULOSUM

SPINOSUM ← MAINLY

KERATINOCYTE

APC

③ LANGERHANS

BASALE

② MERKEL CELL

MELANOCYTE

BASALE

NEURAL CREST CELL

EPIDERMIS

LONG BRANCHING

B

NEW

KERATINOCYTE ① ② ③

TRANSFERS NEIGHBOURING KERATINOCYTE

VIA CYTOPROCESSES WITH INTERMEDIATE & SPINOSUM

OTHER COMPLEX LOSES

MELANIN

DOPAQUINONE

3,4 INTERMEDIATE DOPA LANINE

ACTIVITY

= MELANIN GRANULES

④

MELANOCYTE

- CLEAR CYTOP

- BASALE

LONG BRANCHING CYTOP PROCESSES

BDVES

GANGLIONIC SENSORY N F PROJECT FROM DERMIS INTO EPIDERMIS

MANY DENSE CORE GRANULES

PRESUMABLY NTs

BM

IV

DERMIS TYPE MACROPHAGE MASTOCYTE

PLATE LIKE ENVELOPE = NERVE PLATE

TYROSINE

TYROSINE

MELANIN

MELANOSOMES

NEURAL CREST CELL

BIGBEUK GRANULES



Scanné avec CamScanner



Scanné avec CamScanner



Scanné avec CamScanner