




74  
 REVIEW  
 CS SENSORY  
 INPUT  
 & TRACTS  
 TO CONTEX









CS & ~~CS~~  
 Sensory Modalities
















OVERVIEW  
NOIC F








Secondary  
GSS  
in  
Prox -  
Sébum SD



CONTRA TO LES

LOW PAIN & TEMP




GROSS, POSITION, VIBRA PROPRIOCEPT Ipsi TO LES

Hemi paresis from CONTRA

MND + SC


- S-CBLT proprioceptive  
 - BOTH proprioceptive  
 → CBL  
 - INTEGRATED  
 WITH BOTH  
 INPUTS  
 & MODULAR proprioceptive  
 OCCURS  
 → JOINT POSITION  
 MAGNITUDE  
 FROM SKIN




③ IN ROS MHD  
 TO IPSI CRE  
 MAINLY OLIVE & VENTRAL  
 WITH PROSICUM  
 PHARYNX

② THEN TTS-CBLT  
 VENTRAL SYMPTON


① FTTRAVEL  
 IN FG  
 UNTIL THEY REACH L3  
 TTS-CBLT  
 proprioceptive




CUNEID-CBLT  
PROPRIO → CBL








POSTAL S-CBL



② PONS  
UNIMODAL F  
PROPER

α LGSE  
VENNII  
PARAVENNII

UNIMODAL  
ABOVE T8 ②  
UPPER LIMBS



13

TARSES  
DORSALIS

↓ TIGL  
SIGN  
NEUROSYNAPSES

